

molex PACKAGING SPECIFICATION

MXMAG DUAL PORT TRAY PACKAGING SPECIFICATION

1.0 SCOPE	2
2.0 PURPOSE	
3.0 PRODUCT DESCRIPTON	
4.0 PROCEDURE	
4.1 GENERAL PACKAGING INFORMATION	3
4.2 PACKAGING INSTRUCTIONS	4
4.3 QUANTITIES	6
4.4 PALLET CONFIGURATION	6
4.5.LABELLING	7

REVISION:	ECR/ECN INFORMATION: EC No: 123046 DATE: 2017/10/17	MXMAG	MXMAG DUAL PORT TRAY PACKAGING SPECIFICATION		1 of 7
DOCUMENT NUMBER:		CREATED / REVISED BY:	CHECKED BY:	APPR	OVED BY:
938240001PSK		DSHEA	SMCGREEVY	DB	YRNES



1.0 SCOPE

The scope of this document is to outline the packaging method for Molex MXMag™ Dual Port connectors that are packaged in trays. See table for relevant part numbers.

2.0 PURPOSE

The purpose of this specification is to ensure that all MXMag™ Dual Port connectors shipped from Molex remain damage free and are shipped in a manner which ensures ease of handling, storage and distribution.

3.0 PRODUCT DESCRIPTON

The MXMag[™] Dual Port magnetic connector offers a simple solution for integrating Ethernet magnetic and the RJ-45 connector interface into one integrated package with guaranteed signal integrity, Fast and Gigabit Ethernet, common mode termination and EMI shielding.

The connector will be packaged in trays, relevant series numbers are outlined in Table 1.

Series				
93824	93828			
93825	93829			
93826	93830			
93827	93831			

Table 1: MXMag™ Series Numbers for Tray Options

REVISION:	ECR/ECN INFORMATION: EC No: 123046 DATE: 2017/10/17	MXMAG	DUAL PORT TRA		2 of 7
DOCUMENT NUMBER:		CREATED / REVISED BY:	CHECKED BY:	<u>APPR</u>	OVED BY:
938240001PSK		DSHEA	SMCGREEVY	DB	YRNES



4.0 PROCEDURE

4.1 GENERAL PACKAGING INFORMATION

The recommended carton box closure is tape.

The shipping weight for a carton box should not exceed 15 kg.

The pallet height shall not exceed 1.1 m.

The pallet weight shall not exceed 450 kg.

The minimum shipping quantity is one carton box.

REVISION:	ECR/ECN INFORMATION: EC No: 123046 DATE: 2017/10/17		MXMAG DUAL PORT TRAY PACKAGING SPECIFICATION		3 of 7
DOCUMENT NUMBER: C		CREATED / REVISED BY:	CHECKED BY:	APPR	OVED BY:
938240001PSK		DSHEA	SMCGREEVY	DB	YRNES



4.2 PACKAGING INSTRUCTIONS

The MXMag[™] Dual Port connectors are packaged in clear PETA antistatic trays, part number as per Table 2.

Description	Tray Part Number	Tray Cover Part Number	Cardboard Insert Part Number	Cardboard Carton Part Number
Dual Port General Market Tray	990250161	990250155	859989300	916870072

Table 2: Tray Component and Carton Box Part Numbers

All parts are placed into the trays in the orientation shown in Figure 1.

The trays are stackable and are placed on top of each other rotated 180°. A tray cover is placed on top of the final tray. The stack of trays is wrapped with plastic wrap.

A cardboard insert is placed under and around the trays to aid removal, see Figure 2.

The trays are placed into a carton, see Figure 3. The carton is closed with tape.




Figure 1: Connector orientation in tray

REVISION:	ECR/ECN INFORMATION:	TITLE:			SHEET No.
Α	EC No: 123046	MXMAG DUAL PORT TRAY PACKAGING SPECIFICATION		4 of 7	
A	DATE: 2017/10/17	PACKAG	- OI <i>I</i>		
DOCUMEN'	T NUMBER:	CREATED / REVISED BY:	CHECKED BY:	APPR(OVED BY:
938240001PSK		DSHEA	SMCGREEVY	DBY	/RNES

molex

PACKAGING SPECIFICATION




Figure 2: Stack of 12 trays with tray cover and cardboard insert (plastic wrap not shown)




Figure 3: Stack of trays placed into carton

REVISION:	ECR/ECN INFORMATION:	TITLE:	DUAL DODT TO	A \/	SHEET No.
Α	EC No: 123046	MXMAG DUAL PORT TRAY PACKAGING SPECIFICATION			5 of 7
A	DATE: 2017/10/17	PACKAG	ING SPECIFICAT	ION	3 01 7
DOCUMENT NUMBER:		CREATED / REVISED BY: CHECKED BY: APPR		OVED BY:	
938240001PSK		DSHEA	SMCGREEVY	DB	YRNES



4.3 QUANTITIES

See Table 3 for quantities of connectors per tray, per carton and per pallet.

Quantity of Connectors per Tray	Quantity of Trays per Carton	L CONDACIOIS NAI	Quantity of Cartons per Pallet	Quantity of connectors per Pallet
42	12	504	27	13,608

Table 3: Connector Quantities

4.4 PALLET CONFIGURATION

Cartons should be stacked by column, i.e. not interlocked with 27 Cartons per Pallet. See Figure 4 for dimensions of cartons on the pallet.




Figure 4: Dimensions of cartons on pallet

REVISION:	ECR/ECN INFORMATION: EC No: 123046 DATE: 2017/10/17	MXMAG	DUAL PORT TRA		SHEET No. 6 of 7
DOCUMENT NUMBER:		CREATED / REVISED BY:	CHECKED BY:	APPR:	OVED BY:
938240001PSK		DSHEA	SMCGREEVY	DB	YRNES

molex

PACKAGING SPECIFICATION

4.5 LABELLING

A label is placed on each carton, see Figure 5 below for an example of a label. The labels measure 120 mm x 76.2 mm.



Figure 5: Example of carton label

REVISION:	ECR/ECN INFORMATION:				SHEET No.
Ι	EC No: 123046	MXMAG DUAL PORT TRAY PACKAGING SPECIFICATION		7 of 7	
A	DATE: 2017/10/17	PACKAG	7 01 7		
DOCUMENT NUMBER:		CREATED / REVISED BY:	CHECKED BY:	APPR	OVED BY:
938240001PSK		DSHEA	SMCGREEVY	DB	YRNES